



Ref. Certif. No.

DK-171024-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Beverage cooler/dispenser

Name and address of the applicant

Celli S.P.A.
Via Casino Albini, 605 San Giovanni Marignano, RN, 47842
Italy

Name and address of the manufacturer

Celli S.P.A.
Via Casino Albini, 605 San Giovanni Marignano, RN, 47842
Italy

Name and address of the factory

Celli S.P.A.
Via F.lli Maggini, 40 Recanati (MC) 62019
Italy

Note: When more than one factory, please report on page 2

☐ Additional Information on page 2

Ratings and principal characteristics

220-240V, 50-60Hz, Climatic Class T

☒ Additional Information on page 2

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

CTF Stage 1

Model / Type Ref.

GEO/PRIME20 ORN, GEO/PRIME20 VRN,
GEO/PRIME30 ORN, GEO/PRIME30 VRN

Additional information (if necessary may also be reported on page 2)

National Differences: EU Group Differences, AU, DK, FI, NZ, NO, SE, GB

☒ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016, IEC 60335-2-24:2020, IEC 60335-2-75:2012, IEC 60335-2-75:2012/AMD1:2015, IEC 60335-2-75:2012/AMD2:2018

As shown in the Test Report Ref. No. which forms part of this Certificate

25-4791671504.1 issued on 2025-09-11

This CB Test Certificate is issued by the National Certification Body



- ☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2025-09-17

Signature:

Thomas Wilson



Ref. Certif. No.

DK-171024-UL

Additional Ratings:

GEO/PRIME20 ORN: 2.17A, 355W, R290 0.075kg,
GEO/PRIME20 VRN: 2.17A, 355W, R290 0.065kg,
GEO/PRIME30 ORN: 2.73A, 485W, R290 0.080kg
GEO/PRIME30 VRN: 2.73A, 485W, R290 0.090kg

Additionally evaluated to:

EN IEC 60335-2-75:2023, EN IEC 60335-2-75:2023/A11:2023, EN IEC 60335-2-75:2023/A1:2023, EN IEC 60335-2-75:2023/A2:2023, EN 60335-1:2012, EN 60335-1:2012/A11:2014, EN 60335-1:2012/A13:2017, EN 60335-1:2012/A1:2019, EN 60335-1:2012/A14:2019, EN 60335-1:2012/A2:2019, EN 60335-1:2012/A15:2021, EN 60335-1:2012/A16:2023, EN 62233:2008, EN IEC 60335-2-24:2022, EN IEC 60335-2-24:2022/A11:2022

Additional information (if necessary)



- ☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2025-09-17

Signature:

Thomas Wilson



Ref. Certif. No.

DK-172375-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Beverage cooler/dispenser

Name and address of the applicant

Celli S.P.A.
Via Casino Albini, 605 San Giovanni Marignano, RN, 47842
Italy

Name and address of the manufacturer

Celli S.P.A.
Via Casino Albini, 605 San Giovanni Marignano, RN, 47842
Italy

Name and address of the factory

Celli S.p.A.
Via F.lli Maggini 40 Recanati, MC, 62019
Italy

Note: When more than one factory, please report on page 2

☐ Additional Information on page 2

Ratings and principal characteristics

Climatic Class T;
GEO/PRIME50 ORN:
220-240 V 50-60 Hz; 3,4 A 610W; R290 0,085 kg
☒ Additional Information on page 2

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

CTF Stage 1

Model / Type Ref.

GEO/PRIME50 ORN, GEO/PRIME50 VRN,
GEO/PRIME75 ORN, GEO/PRIME75 VRN

Additional information (if necessary may also be reported on page 2)

National Differences: EU Group Differences, AU, DK, FI, NZ, NO, SE, GB
☒ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016, IEC 60335-2-24:2020, IEC 60335-2-75:2012, IEC 60335-2-75:2012/AMD1:2015, IEC 60335-2-75:2012/AMD2:2018

As shown in the Test Report Ref. No. which forms part of this Certificate

25-4791671492.1 issued on 2025-10-24

This CB Test Certificate is issued by the National Certification Body



☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2025-10-27

Signature:

Thomas Wilson



Ref. Certif. No.

DK-172375-UL

Additional Ratings:

GEO/PRIME50 VRN (50 Hz Model):
220-240 V 50 Hz, 3,4 A 610W, R290 0,095 kg

GEO/PRIME50 VRN (60 Hz Model):
220-230 V 60 Hz, 3,4 A 610W, R290 0,090 kg

GEO/PRIME75 ORN (50 Hz model)
220-240 V 50 Hz, 5,1 A 850 W, R290 0,095 kg

GEO/PRIME75 ORN (60 Hz model)
220-230 V 60 Hz, 4,97 A 940 W, R290 0,099 kg

GEO/PRIME75 VRN (50 Hz model)
220-240 V 50 Hz, 5,1 A 850 W, R290 0,110 kg

GEO/PRIME75 VRN (60 Hz model)
220-230 V 60 Hz, 4,97 A 940 W, R290 0,105 kg

Additionally evaluated to:

EN 60335-1:2012, EN 60335-1:2012/A11:2014, EN 60335-1:2012/A13:2017, EN 60335-1:2012/A1:2019, EN 60335-1:2012/A2:2019, EN 60335-1:2012/A14:2019, EN 60335-1:2012/A15:2021, EN 60335-1:2012/A16:2023, EN IEC 60335-2-24:2022, EN IEC 60335-2-24:2022/A11:2022, EN IEC 60335-2-75:2023, EN IEC 60335-2-75:2023/A1:2023, EN IEC 60335-2-75:2023/A2:2023, EN IEC 60335-2-75:2023/A11:2023, EN 62233:2008

Additional information (if necessary)



- ☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2025-10-27

Signature:

Thomas Wilson



Ref. Certif. No.

DK-171182-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Beverage cooler/dispenser

Name and address of the applicant

Celli S.P.A.
Via Casino Albini, 605 San Giovanni Marignano, RN, 47842
Italy

Name and address of the manufacturer

Celli S.P.A.
Via Casino Albini, 605 San Giovanni Marignano, RN, 47842
Italy

Name and address of the factory

Celli S.p.A.
Via F.lli Maggini 40 Recanati, MC, 62019
Italy

Note: When more than one factory, please report on page 2

☐ Additional Information on page 2

Ratings and principal characteristics

220-240V, 50-60Hz, Climatic Class T;
KRIOS20 OR: 2.17A, 355W, R290 0.075kg;
KRIOS20 VR: 2.17A, 355W, R290 0.065kg;
KRIOS30 OR: 2.17A, 355W, R290 0.080kg;
KRIOS30 VR: 2.17A, 355W, R290 0.080kg;
KRIOS50 OR: 2.73A, 485W, R290 0.099kg
KRIOS50 VR: 2.73A, 485W, R290 0.099kg

☐ Additional Information on page 2

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

CTF Stage 1

Model / Type Ref.

KRIOS20 OR, KRIOS20 VR, KRIOS30 OR, KRIOS30 VR,
KRIOS50 OR, KRIOS50 VR

☐ Additional Information on page 2

Additional information (if necessary may also be reported on page 2)

National Differences: EU Group Differences AU, DK, FI, NZ, NO, SE, GB
☒ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60335-2-24:2020, IEC 60335-2-75:2012, IEC 60335-2-75:2012/AMD1:2015, IEC 60335-2-75:2012/AMD2:2018, IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016

As shown in the Test Report Ref. No. which forms part of this Certificate

25-4791671504.2 issued on 2025-09-12

This CB Test Certificate is issued by the National Certification Body



☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
☒ UL Solutions (Denmark), Borupvang 5A DK-2750 Ballerup, DENMARK
☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2025-09-23

Signature:

Thomas Wilson



Ref. Certif. No.

DK-171182-UL

Additionally evaluated to:

EN IEC 60335-2-75:2023, EN IEC 60335-2-75:2023/A11:2023, EN IEC 60335-2-75:2023/A1:2023, EN IEC 60335-2-75:2023/A2:2023, EN 60335-1:2012, EN 60335-1:2012/A11:2014, EN 60335-1:2012/A13:2017, EN 60335-1:2012/A1:2019, EN 60335-1:2012/A14:2019, EN 60335-1:2012/A2:2019, EN 60335-1:2012/A15:2021, EN 60335-1:2012/A16:2023, EN IEC 60335-2-24:2022, EN IEC 60335-2-24:2022/A11:2022, EN 62233:2008

Additional information (if necessary)



- ☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2025-09-23

Signature:

Thomas Wilson

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME**

CB TEST CERTIFICATE

Product

Beverage cooler/dispenser

Name and address of the applicant

Celli S.P.A.
Via Casino Albini, 605 San Giovanni Marignano, RN, 47842 - Italy

Name and address of the manufacturer

Celli S.P.A.
Via Casino Albini, 605 San Giovanni Marignano, RN, 47842 - Italy

Name and address of the factory

Note: When more than one factory, please report on page 2

Celli S.P.A.
Via Casino Albini, 605 San Giovanni Marignano (RN) 47842 - Italy

☐ Additional Information on page 2

Ratings and principal characteristics

220-240V, 50Hz, Class N, R290
For model TE-35: 2.45A, 370W, 0.14kg of R290
For model TE-50/L: 4.14A, 670W, 0.15kg of R290

Trademark / Brand (if any)



Type of Customer's Testing Facility (CTF) Stage used

CTF Stage 1

Model / Type Ref.

TE-35, TE-50/L

Additional information (if necessary may also be reported on page 2)

☒ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016, IEC 60335-1:2010, IEC 60335-2-75:2012/AMD1:2015, IEC 60335-2-75:2012/AMD2:2018, IEC 60335-2-75:2012
19-4788925448.1.1 issued on 2019-11-19

As shown in the Test Report Ref. No. which forms part of this Certificate

This CB Test Certificate is issued by the National Certification Body



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

☒ UL (Denko), Borupvang 5A DK-2750 Ballerup, DENMARK

☐ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2019-11-22

Signature:


Jan-Erik Storgaard



Ref. Certif. No.

DK-89957-UL

Additional Information:

Additionally evaluated to EN 60335-2-75:2004 / A1:2005 / A11:2006 / A2:2008 / A12:2010 used in conjunction with EN 60335-1:2012 / A11:2014 / A13:2017; EN 62233:2008.

National Difference specified in the CB Test Report.

Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2019-11-22

Signature:

Jan-Erik Storgaard